



Legendary Lighting®
effective 7/1/10,
sub. to change
w/o notice



APOLLO SERIES
AO1-W



ATLAS SERIES
AS1-W



NEPTUNE SERIES
NE1-W



VULCAN SERIES
VN1-W

SERIES	LIGHTING OPTIONS			BASE RETAIL PRICE (Lantern & Bracket)							
	LIGHT & BRACKET DESCRIPTION <i>Include description of Lights and Brackets on Purchase Order</i>	MODEL NUMBER <i>Include Model # on Purchase Order</i>	RETAIL PRICE	Natural Gas	Liquid Propane	Electronic Ignition (NG) <i>Includes Transformer</i>	Electronic Ignition (LP) <i>Includes Transformer</i>	Edison Base Electric	2 Bulb Candelabra Electric	3 Bulb Candelabra Electric	
APOLLO SOLID TOP	Apollo Mini - Post Mount	AOM-P	420	NA	NA	NA	NA	420	505	NA	
	Apollo Mini - Wall Mount	AOM-W	430	NA	NA	NA	NA	430	515	NA	
	Apollo Mini - Chain	AOM-C	430	NA	NA	NA	NA	430	515	NA	
	Apollo 1 - Post Mount	AO1-P	690	690	735	1015	1060	690	775	775	
	Apollo 1 - Wall Mount	AO1-W	765	765	810	1090	1135	765	850	850	
	Apollo 1 - Ceiling Mount	AO1-Y	1000	1000	1045	1325	1370	1000	1085	1085	
	Apollo 1 - Ceiling Chain	AO1-C	765	NA	NA	NA	NA	765	850	850	
	Apollo 2 - Post Mount	AO2-P	750	750	795	1075	1120	750	835	835	
	Apollo 2 - Wall Mount	AO2-W	795	795	840	1120	1165	795	880	880	
	Apollo 2 - Ceiling Mount	AO2-Y	1100	1100	1145	1425	1470	1100	1185	1185	
	Apollo 2 - Ceiling Chain	AO2-C	795	NA	NA	NA	NA	795	880	880	
	Apollo 3 - Post Mount	AO3-P	965	965	1010	1290	1335	965	1050	1050	
	Apollo 3 - Wall Mount	AO3-W	995	995	1040	1320	1365	995	1080	1080	
	Apollo 3 - Ceiling Mount	AO3-Y	1395	1395	1440	1720	1765	1395	1480	1480	
Apollo 3 - Ceiling Chain	AO3-C	995	NA	NA	NA	NA	995	1080	1080		
ATLAS GLASS TOP (Sizes 1 & 2 ONLY)	Atlas 1 - Glass Top - Post	AS1GT-P	530	530	575	855	900	530	615	615	
	Atlas 1 - Glass Top - Wall	AS1GT-W	565	565	610	890	935	565	650	650	
	Atlas 1 - Glass Top - Ceiling	AS1GT-Y	825	825	870	1150	1195	825	910	910	
	Atlas 1 - Glass Top - Chain	AS1GT-C	565	NA	NA	NA	NA	565	650	650	
	Atlas 2 - Glass Top - Post	AS2GT-P	600	600	645	925	970	600	685	685	
	Atlas 2 - Glass Top - Wall	AS2GT-W	650	650	695	975	1020	650	735	735	
	Atlas 2 - Glass Top - Ceiling	AS2GT-Y	930	930	975	1255	1300	930	1015	1015	
	Atlas 2 - Glass Top - Chain	AS2GT-C	650	NA	NA	NA	NA	650	735	735	
ATLAS SOLID TOP	Atlas Mini - Post Mount	ASM-P	385	NA	NA	NA	NA	385	470	NA	
	Atlas Mini - Wall Mount	ASM-W	395	NA	NA	NA	NA	395	480	NA	
	Atlas Mini - Ceiling Chain	ASM-C	395	NA	NA	NA	NA	395	480	480	
	Atlas 1 - Post Mount	AS1-P	650	650	695	975	1020	650	735	735	
	Atlas 1 - Wall Mount	AS1-W	700	700	745	1025	1070	700	785	785	
	Atlas 1 - Ceiling Mount	AS1-Y	945	945	990	1270	1315	945	1030	1030	
	Atlas 1 - Ceiling Chain	AS1-C	700	NA	NA	NA	NA	700	785	785	
	Atlas 2 - Post Mount	AS2-P	725	725	770	1050	1095	725	810	810	
	Atlas 2 - Wall Mount	AS2-W	775	775	820	1100	1145	775	860	860	
	Atlas 2 - Ceiling Mount	AS2-Y	1000	1000	1045	1325	1370	1000	1085	1085	
	Atlas 2 - Ceiling Chain	AS2-C	775	NA	NA	NA	NA	775	860	860	
	Atlas 3 - Post Mount	AS3-P	950	950	995	1275	1320	950	1035	1035	
	Atlas 3 - Wall Mount	AS3-W	1000	1000	1045	1325	1370	1000	1085	1085	
	Atlas 3 - Ceiling Mount	AS3-Y	1375	1375	1420	1700	1745	1375	1460	1460	
Atlas 3 - Ceiling Chain	AS3-C	1000	NA	NA	NA	NA	1000	1085	1085		
NEPTUNE SOLID TOP	Neptune 1 - Post Mount	NE1-P	765	765	810	1090	1135	765	850	850	
	Neptune 1 - Wall Mount	NE1-W	850	850	895	1175	1220	850	935	935	
	Neptune 1 - Ceiling Mount	NE1-Y	1070	1070	1115	1395	1440	1070	1155	1155	
	Neptune 1 - Ceiling Chain	NE1-C	850	NA	NA	NA	NA	850	935	935	
	Neptune 2 - Post Mount	NE2-P	815	815	860	1140	1185	815	900	900	
	Neptune 2 - Wall Mount	NE2-W	920	920	965	1245	1290	920	1005	1005	
	Neptune 2 - Ceiling Mount	NE2-Y	1125	1125	1170	1450	1495	1125	1210	1210	
	Neptune 2 - Ceiling Chain	NE2-C	920	NA	NA	NA	NA	920	1005	1005	
	Neptune 3 - Post Mount	NE3-P	895	895	940	1220	1265	895	980	980	
	Neptune 3 - Wall Mount	NE3-W	925	925	970	1250	1295	925	1010	1010	
	Neptune 3 - Ceiling Mount	NE3-Y	1395	1395	1440	1720	1765	1395	1480	1480	
	Neptune 3 - Ceiling Chain	NE3-C	925	NA	NA	NA	NA	925	1010	1010	
	SEASIDE	Seaside - Wall Mount	SS1	350	NA	NA	NA	NA	400	NA	NA
	VULCAN SOLID TOP	Vulcan Mini - Post Mount	VNM-P	385	NA	NA	NA	NA	385	470	NA
Vulcan Mini - Wall Mount		VNM-W	410	NA	NA	NA	NA	410	495	NA	
Vulcan Mini - Ceiling Chain		VNM-C	410	NA	NA	NA	NA	410	495	495	
Vulcan 1 - Post Mount		VN1-P	650	650	695	975	1020	650	735	735	
Vulcan 1 - Wall Mount		VN1-W	700	700	745	1025	1070	700	785	785	
Vulcan 1 - Ceiling Mount		VN1-Y	945	945	990	1270	1315	945	1030	1030	
Vulcan 1 - Ceiling Chain		VN1-C	700	NA	NA	NA	NA	700	785	785	
Vulcan 2 - Post Mount		VN2-P	725	725	770	1050	1095	725	810	810	
Vulcan 2 - Wall Mount		VN2-W	775	775	820	1100	1145	775	860	860	
Vulcan 2 - Ceiling Mount		VN2-Y	1000	1000	1045	1325	1370	1000	1085	1085	
Vulcan 2 - Ceiling Chain		VN2-C	690	NA	NA	NA	NA	690	775	775	
Vulcan 3 - Post Mount		VN3-P	950	950	995	1275	1320	950	1035	1035	
Vulcan 3 - Wall Mount		VN3-W	1000	1000	1045	1325	1370	1000	1085	1085	
Vulcan 3 - Ceiling Mount		VN3-Y	1375	1375	1420	1700	1745	1375	1460	1460	
Vulcan 3 - Ceiling Chain	VN3-C	1000	NA	NA	NA	NA	1000	1085	1085		
IRIS	See Apollo Models & Pricing Above	Add SP to end Apollo Model #	Add \$50.00 to Base Retail Price Above for Size 1 & 2, Add \$100 for Size 3								
DIANA	See Atlas Models & Pricing Above	Add SP to end Atlas Model #	Add \$50.00 to Base Retail Price Above for Size 1 & 2, Add \$100 for Size 3								
SIREN	See Neptune Models & Pricing Above	Add SP to end Neptune Model #	Add \$50.00 to Base Retail Price Above for Size 1 & 2, Add \$100 for Size 3								
VESTA	See Vulcan Models & Pricing Above	Add SP to end Vulcan Model #	Add \$50.00 to Base Retail Price Above for Size 1 & 2, Add \$100 for Size 3								

POST OPTIONS			OTHER OPTIONS (for Gas Fixtures Only)				
Plumbed 3" O.D. 8' Overall (6'6" Above)	Plumbed 3" O.D. 8' Overall (6'6" Above) Base Casting	Ladder Rest	Factory Installed Transformer	Automatic Shut-Off Valve <i>(Indoor Use)</i>	Gas Flex Connectors		Wind Guard
					12" Flex Dormont <i>(Non-CSA)</i>	12" Flex Sturgis <i>(CSA)</i>	
TS1	LP1	LR	TR2420-FI	ASV	FC-12D	FC-12S	WG
230	574	117	NA	NA	NA	NA	NA
NA	NA	NA	NA	NA	NA	NA	NA
NA	NA	NA	NA	NA	NA	NA	NA
230	574	117	65	175	15	15	Standard
NA	NA	NA	65	175	15	15	35
NA	NA	NA	65	175	15	15	35
NA	NA	NA	NA	NA	NA	NA	NA
230	574	117	65	175	15	15	Standard
NA	NA	NA	65	175	15	15	35
NA	NA	NA	65	175	15	15	35
NA	NA	NA	NA	NA	NA	NA	NA
230	574	117	65	175	15	15	Standard
NA	NA	NA	65	175	15	15	70
NA	NA	NA	65	175	15	15	70
NA	NA	NA	NA	NA	NA	NA	NA
230	574	117	65	175	15	15	Standard
NA	NA	NA	65	175	15	15	35
NA	NA	NA	65	175	15	15	35
NA	NA	NA	NA	NA	NA	NA	NA
230	574	117	65	175	15	15	Standard
NA	NA	NA	65	175	15	15	35
NA	NA	NA	65	175	15	15	35
NA	NA	NA	NA	NA	NA	NA	NA
230	574	117	65	175	15	15	Standard
NA	NA	NA	65	175	15	15	35
NA	NA	NA	65	175	15	15	35
NA	NA	NA	NA	NA	NA	NA	NA
230	574	117	65	175	15	15	Standard
NA	NA	NA	65	175	15	15	70
NA	NA	NA	65	175	15	15	70
NA	NA	NA	NA	NA	NA	NA	NA
230	574	117	65	175	15	15	Standard
NA	NA	NA	65	175	15	15	35
NA	NA	NA	65	175	15	15	35
NA	NA	NA	NA	NA	NA	NA	NA
230	574	117	65	175	15	15	Standard
NA	NA	NA	65	175	15	15	70
NA	NA	NA	65	175	15	15	70
NA	NA	NA	NA	NA	NA	NA	NA
230	574	117	65	175	15	15	Standard
NA	NA	NA	65	175	15	15	35
NA	NA	NA	65	175	15	15	35
NA	NA	NA	NA	NA	NA	NA	NA
230	574	117	65	175	15	15	Standard
NA	NA	NA	65	175	15	15	70
NA	NA	NA	65	175	15	15	70
NA	NA	NA	NA	NA	NA	NA	NA
230	574	117	65	175	15	15	Standard
NA	NA	NA	65	175	15	15	35
NA	NA	NA	65	175	15	15	35
NA	NA	NA	NA	NA	NA	NA	NA
230	574	117	65	175	15	15	Standard
NA	NA	NA	65	175	15	15	35
NA	NA	NA	65	175	15	15	35
NA	NA	NA	NA	NA	NA	NA	NA
230	574	117	65	175	15	15	Standard
NA	NA	NA	65	175	15	15	35
NA	NA	NA	65	175	15	15	35
NA	NA	NA	NA	NA	NA	NA	NA
230	574	117	65	175	15	15	Standard
NA	NA	NA	65	175	15	15	70
NA	NA	NA	65	175	15	15	70
NA	NA	NA	NA	NA	NA	NA	NA
230	574	117	65	175	15	15	Standard
NA	NA	NA	65	175	15	15	35
NA	NA	NA	65	175	15	15	35
NA	NA	NA	NA	NA	NA	NA	NA
230	574	117	65	175	15	15	Standard
NA	NA	NA	65	175	15	15	70
NA	NA	NA	65	175	15	15	70
NA	NA	NA	NA	NA	NA	NA	NA
230	574	117	65	175	15	15	Standard
NA	NA	NA	65	175	15	15	35
NA	NA	NA	65	175	15	15	35
NA	NA	NA	NA	NA	NA	NA	NA
230	574	117	65	175	15	15	Standard
NA	NA	NA	65	175	15	15	70
NA	NA	NA	65	175	15	15	70
NA	NA	NA	NA	NA	NA	NA	NA
230	574	117	65	175	15	15	Standard
NA	NA	NA	65	175	15	15	35
NA	NA	NA	65	175	15	15	35
NA	NA	NA	NA	NA	NA	NA	NA
230	574	117	65	175	15	15	Standard
NA	NA	NA	65	175	15	15	70
NA	NA	NA	65	175	15	15	70
NA	NA	NA	NA	NA	NA	NA	NA
230	574	117	65	175	15	15	Standard
NA	NA	NA	65	175	15	15	35
NA	NA	NA	65	175	15	15	35
NA	NA	NA	NA	NA	NA	NA	NA
230	574	117	65	175	15	15	Standard
NA	NA	NA	65	175	15	15	70
NA	NA	NA	65	175	15	15	70
NA	NA	NA	NA	NA	NA	NA	NA
230	574	117	65	175	15	15	Standard
NA	NA	NA	65	175	15	15	35
NA	NA	NA	65	175	15	15	35
NA	NA	NA	NA	NA	NA	NA	NA
230	574	117	65	175	15	15	Standard
NA	NA	NA	65	175	15	15	70
NA	NA	NA	65	175	15	15	70
NA	NA	NA	NA	NA	NA	NA	NA




APOLLO SERIES
MINI
AOM-W

IRIS SERIES
AOI-CWBS




ATLAS SERIES
MINI
ASM-W

DIANA SERIES
ASI-CWBS



SEASIDE
SS1

SIREN SERIES
NE1-WSP



VULCAN SERIES
MINI
VNM-W

VESTA SERIES
VN1-CWBS

ADDITIONAL INFORMATION CONCERNING LEGENDARY LIGHTING Lanterns

- All natural and propane gas lanterns include a manual shutoff valve located at the base of the burner.
- BTU rating for single burner natural gas lanterns is 3451 BTU/hr. and 2800 BTU/hr for propane gas single burner; BTU rating for double burner natural and propane gas lanterns (Size 3) is 4854 BTU/hr.
- Electronic Ignition (EI) is optional on all natural and propane gas lanterns. EI allows the lantern to be operated with the flip of a switch, a timer, or via photo electronic cell.
- Most standard propane and natural gas lanterns are C.S.A. certified
- If lanterns are to be installed for indoor use, Legendary Lighting must be notified upon order as a special CSA certification sticker must be attached to the lantern.
- Natural and propane gas lanterns must be equipped with either Electronic Ignition or Automatic Shutoff Valve for indoor use.
- Most Electric models are UL/CSA certified. If UL approval is required, Legendary Lighting must be notified upon order whether the fixture is to be UL/CSA Approved for a Wet or Damp/Dry location.
- Wind Guards are not needed with Electronic Ignition, Automatic Shutoff Valve or Propane Gas fixtures.



LEGENDARY
LIGHTING®

5230 Hwy 25
Flowood, MS 39232

Phone: (601) 992-9955 or 1-800-235-6725

Fax: (601) 992-8081

Website: www.legendarylighing.com

MOUNTING OPTIONS & ACCESSORIES



APOLLO SERIES
AO1-Y YE1-12
12" LONG YOKE
EXTENSION




ATLAS SERIES
AS1-Y YE1-24
24" LONG YOKE
EXTENSION




NEPTUNE SERIES
NE1-Y




VULCAN SERIES
VN1-Y




APOLLO SERIES
AO1-Y WNY1
WALL MOUNT YOKE
BRACKET



ATLAS SERIES
AS1-Y WNY1
WALL MOUNT YOKE
BRACKET



NEPTUNE SERIES
NE1-Y WMY1
WALL MOUNT YOKE
BRACKET



VULCAN SERIES
VN1-Y MY1
WALL MOUNT YOKE
BRACKET

MOUNTING OPTIONS & ACCESSORIES



APOLLO SERIES
AO1-P



ATLAS SERIES
AS1-P




NEPTUNE SERIES
NE1-P



VULCAN SERIES
VN1-P



APOLLO SERIES
AO1-VWB
VICTORIAN WALL
BRACKET



ATLAS SERIES
AS1-W MC1
STEEL MUSTACHE
CURLS



ATLAS SERIES
AS1GT-CWB FDL
GLASS TOP, COPPER WALLBOX &
COPPER FLEUR DE LIS FINIAL



ATLAS SERIES
AS1-W ASISC
SCROLL TOP CURL
FOR AS1



LEGENDARY LIGHTING®

Suggested Retail Price Sheet

Pricing Effective 07/01/10

Description of Lantern Coding

(Please use this coding when ordering)

Example: AS10EI-Y PFA TR2420-FI SED1 YE1-12

“AS1” designates model (Atlas) and size (1) of lantern

“0” designates Propane Gas

“EI” designates Electronic Ignition

“Y” designates Ceiling Yoke

“PFA” designates Patina Finish Antique

“TR2420-FI” designates Factory Installed 20VA Transformer

“SED1” designates Seedy Glass for Size 1 Model

“YE1-12” designates 12” Yoke Extension for Size 1 Model

NOTE: For Iris, Diana, Siren & Vesta Models...add “SP” to the end of the corresponding model number. \$50.00 should be added to the Base Retail Price of the corresponding Size 1 & 2 model. \$100 should be added to the Base Retail Price of the corresponding Size 3 model.

Example: AO200-CB3-CWB SP...\$930.00 Retail

Iris (Apollo) 2 electric with 3-bulb candelabra, decorative spinning top and copper wall box...Base Retail Price \$880.00 + \$50 = \$930.00 Retail

Items that are standard to a particular lantern require no special coding; see pricing grid for further details.

Please NOTE the following:

Modifications can be made to all lanterns; custom fees may apply, please call for pricing. All ceiling chain lanterns come standard with 3 feet of copper or steel chain; additional lengths of chain be added at a cost of \$30.00 per foot.



MADE IN USA

